


New Working New Living

Website: www.flexispot.com

Tel: 1-855-585-5618

Address: 6475 Las Positas Rd. Livermore, CA 94551




260415A

FlexiSpot

User Manual

Mono Tool-free Bed (Queen)



INSTRUCTIONS –
KEEP FOR FUTURE REFERENCE

Guide of Manual

Thanks for your choice. We will do our best to provide customer service for everyone.

Please check to make sure all parts are included as stated when you unpack. If there are parts missing or wrong, please contact us, we will expeditiously provide reissue acces- sories, compensation or other services.

Instruction should be read carefully. But the manual may not cover every detail of all possible situations and steps. Please contact us if further information and help are needed. We will respond in a timely manner.

Please be patient that the other items are on the way if you buy more than one product.

Warning

It's kindly advised to assemble this product on a carpeted floor to protect it from being scratched.

Small parts are included. Please keep the product away from children while assembling.Do not let children play or jump on the product. Do not stand on the item or use as a step ladder.

Please pay attention to the sharp corners during assembly. We recommend the use of gloves to prevent the undesired injury.

Prior to use, please check to see if there's any loosening screw or part. Make sure that each screw and part is correctly installed and securely fastened.

It's unnecessary to use electric drill. Please at a low gear if you need.

Care and Maintenance

Use a soft, clean cloth that will not scratch the surface when dusting.

There's no need to use furniture polish. If you need, test it first in an inconspicuous area.Using solvents of any kind on your furniture may damage the finish. Never use water to clean your furniture as it may cause damage to the finish.

Liquid spills should be removed immediately. Gently blot the spill with a soft clean cloth to avoid rubbing.

Oil sealing regularly is not needed.

Further Advice about the Furniture Care

It is best to keep your furniture in a climate-controlled environment.

Do not expose the product to the hot sun for a long time, and don't keep the item near to heat and fire sources such as heat vent, stove, fireplaces, radiators, etc.

Following these important and helpful tips will help retain your furniture's performance even when it ages.

Periodically (every 90 days) make sure the screws are fully tightened.





Max Weight Capacity

1500lbs (Do not stand on the item)

Parts and hardware list


- Make sure all parts are in the package.
- Do not fully tighten anything until all screws, nuts, washers and bolts are in place.

Parts list

①L×1  Headboard Left Leg	①R×1  Headboard Right Leg	②L×1  Footboard Left Leg	②R×1  Footboard Right Leg
③×2  Long Rail	④×2  Short Rail	⑤×1  Headboard Cross Rail	⑥×1  Bottom Board
⑦×1  Top Board	⑧×1  Support Bar back	⑨×1  Support Bar center	⑩×3  Support Legs For Slat
⑪×2  Slats			

Hardware list

A×8  Bolt: 1/4"*45	B×15  Bolt: 1/4"*29	C×1  Power outlet
--	---	---




1

Attach the Short Rail to the Footboard Left Leg , Footboard Right Leg by securing them with the locking mechanisms.



Important: The Short Rail must be pressed fully down into place.




2

Attach the Long Rail to the Footboard Left Leg , Footboard Right by securing them with the locking mechanisms.




Important: The Long Rail must be pressed fully down into place.




3

Attach the Long Rail to the Headboard Left Leg , Headboard Right Leg by securing them with the locking mechanisms.




4

Attach the Short Rail to the Footboard Left Leg , Footboard Right Leg by securing them with the locking mechanisms.




5

Install the headboard crossbar and align it with the holes on the Headboard Left Leg and Headboard Right Leg footboards.




6

Install the bottom panel. Tighten the hand screws (A) to about 70%.




7

Insert the top board and align it with the pre-installed dowels on the bottom board. Secure the top board with two hand screws (A) on each side. After confirming that the top board and bottom board are properly aligned and squared, fully tighten all screws (A).




8

Pull Legs (1L) & (1R) tight against rail (5), close the gap completely, then fully tighten Bolt B.




9

Fully tighten all Bolts A (100%)




10

Hand tighten the screws (B).




11

Align the power outlet C with the hole on the Headboard Cross Rail.




12

Hand tighten the screws (B).




13

Screw the support legs into the support bar.




14

Connect the support bar to the short rails. Hand tighten the screws B.




15

Adjust the leveling feet of the Support Legs so that the Center Support Bar is even and flush with the bed frame.



16

Place the slats at the head of the bed. You will find a locating pin on the long rail and a matching hole in the first slat. Simply align the hole with the locating pin and press the slat firmly into place. Repeat the same process at the foot of the bed to secure the remaining slats in the center.



Assembly is complete!

