


**New working,
New living.**




+1 (855) 585-5618



FlexiSpot

Item No. MCC02B/MCC02W


User Manual




Specifications

Load Capacity: Static evenly distributed load 350lbs, dynamic load (with person sitting) 250lbs.
Dimensions: Cabinet 15"x18"x30", bottom adjustable feet can be adjusted from 0.24-0.6".


Installation Instructions




Assemble on carpet to prevent scratches



Phillips screwdriver or drill required
(not provided)



Cooperative assembly




A hammer or a rubber mallet is recommended
(not provided)

Accessory Package


Note: The following line drawings are for reference only and in some cases may be different from the actual part; please refer to the actual part. If you find missing parts or have installation problems, please contact customer service.






 Ø7*40 A X18	 Ø15*12 B X18	 Ø8*30 C X10
 Ø5*17 D X4	 M6*10 E X4	 F X18

Panel Identification





Three-in-One Installation Steps








			
Ø8*30		Ø15*12	
Ⓒ	X6	Ⓑ	X8




			
Ø8*30		Ø15*12	
Ⓒ	X4	Ⓑ	X7




Install the sheet metal base.




After assembly, the eccentric wheel caps (G) should be visible on both the left and right sides.



Cabinet Door Kit



 Ø 4*14			
G	X16	H	X4
 Ø 4*18			
K	X4	 16.5*2	
L	X2		

